


# Price list no. 42-1/2022

Effective from 6th April, 2022



## TERMS & CONDITIONS

1. This price list supersedes all the previous price lists.
2. The prices quoted are Ex-factory.
3. The prices & frame sizes are subject to change without prior notice.
4. GST will be charged extra as applicable at the time of delivery.
5. All orders are booked subject to price & discount ruling at the time of delivery.
6. Aluminium body motors are available in frame sizes 63 to 132.
7. Higher than 12 pole motors are available for cooling tower motors on request.



32/A, Vidyavilla Comp., Old Nagardas Road,  
Andheri (East), Mumbai 400 069. Tel: 022-42500500  
Email: sales@hindmotors.com

IE2

42-1

HINDUSTAN IE2 induction motors suitable for 415V±10%, 50Hz±5%, combined ±10%, 3 phase supply, foot mounted (B3 construction), ambient temperature 50°C, TEFC, Class 'F' insulation, IP55 protection, continuous rated (S1 duty) with bare shaft & key as per IS:12615 / IEC:60034-1.

KW	HP	Frame	Type Designation	List Price ₹	KW	HP	Frame	Type Designation	List Price ₹
2 Pole, 3000 rpm					4 Pole, 1500 rpm				
0.18	0.25	63	2HE2 060-0203	6,830	0.12	0.16	63	2HE2 060-0403	6,660
0.25	0.33	63	2HE2 063-0203	7,520	0.18	0.25	63	2HE2 063-0403	7,220
0.37	0.50	71	2HE2 070-0203	7,940	0.25	0.33	71	2HE2 070-0403	7,810
0.55	0.75	71	2HE2 073-0203	10,290	0.37	0.50	71	2HE2 073-0403	8,070
0.75	1.0	80	2HE2 080-0203	10,620	0.55	0.75	80	2HE2 080-0403	10,520
1.1	1.5	80	2HE2 083-0203	11,460	0.75	1.0	80	2HE2 083-0403	10,700
1.5	2.0	90S	2HE2 090-0203	13,250	1.1	1.5	90S	2HE2 090-0403	13,170
2.2	3.0	90L	2HE2 096-0203	17,020	1.5	2.0	90L	2HE2 096-0403	16,030
3.7	5.0	100L	2HE2 106-0203	20,170	2.2	3.0	100L	2HE2 106-0403	19,080
5.5	7.5	112M	2HE2 123-0203 *	31,410	3.7	5.0	112M	2HE2 123-0403	24,170
		132S	2HE2 130-0203	34,350	5.5	7.5	132S	2HE2 130-0403	32,780
7.5	10.0	132S	2HE2 131-0203	37,320	7.5	10.0	132M	2HE2 133-0403	39,640
9.3	12.5	132M	2HE2 133-0203 *	51,480	9.3	12.5	132M	2HE2 134-0403 *	46,520
		160M	2HE2 163-0203	58,930			160M	2HE2 163-0403	59,760
11.0	15.0	160M	2HE2 164-0203	64,180	11.0	15.0	160M	2HE2 164-0403	61,750
15.0	20.0	160M	2HE2 165-0203	72,300	15.0	20.0	160L	2HE2 166-0403	77,970
18.5	25.0	160L	2HE2 166-0203	92,880	18.5	25.0	180M	2HE2 183-0403	97,520
22.0	30.0	180M	2HE2 183-0203	1,04,360	22.0	30.0	180L	2HE2 186-0403	1,06,820
30.0	40.0	200L	2HE2 206-0203	1,49,730	30.0	40.0	200L	2HE2 206-0403	1,47,320
37.0	50.0	200L	2HE2 207-0203	1,77,550	37.0	50.0	225SX	2HE2 220-0403	1,76,280
45.0	60.0	225M	2HE2 223-0203	2,28,460	45.0	60.0	225MX	2HE2 223-0403	2,08,800
55.0	75.0	250M	2HE2 253-0203	3,14,900	55.0	75.0	250MX	2HE2 253-0403	2,93,620
75.0	100.0	280S	2HE2 280-0203	3,80,490	75.0	100.0	280SX	2HE2 280-0403	3,49,240
90.0	120.0	280M	2HE2 283-0203	4,38,910	90.0	120.0	280MX	2HE2 283-0403	4,06,770
110.0	150.0	315S	2HE2 310-0203	5,86,340	110.0	150.0	315SX	2HE2 310-0403	4,76,660
132.0	180.0	315M	2HE2 314-0203	7,20,650	132.0	180.0	315MX	2HE2 314-0403	5,58,500
160.0	215.0	315L	2HE2 316-0203	7,89,390	160.0	215.0	315LX	2HE2 316-0403	6,93,070
180.0	240.0	315L	2HE2 318-0203	8,31,030	180.0	240.0	315LX	2HE2 318-0403	7,57,770
200.0	270.0	315L	2HE2 317-0203	9,00,700	200.0	270.0	315LX	2HE2 317-0403	7,95,430
225.0	300.0	355S	2HE2 350-0203	10,37,740	225.0	300.0	355SX	2HE2 350-0403	9,67,630
250.0	335.0	355M	2HE2 353-0203	10,37,740	250.0	335.0	355MX	2HE2 353-0403	10,26,670
275.0	370.0	355L	2HE2 356-0203	10,92,910	275.0	370.0	355LX	2HE2 356-0403	10,62,540
315.0	425.0	355L	2HE2 357-0203	11,19,170	315.0	425.0	355LX	2HE2 357-0403	12,04,660

\* 45°C Ambient, Insulation class F utilised upto class F limit.



32/A, Vidyavilla Comp., Old Nagardas Road,  
Andheri (East), Mumbai 400 069. Tel: 022-42500500  
Email: sales@hindmotors.com

IE2

42-1

HINDUSTAN IE2 induction motors suitable for 415V±10%, 50Hz±5%, combined ±10%, 3 phase supply, foot mounted (B3 construction), ambient temperature 50°C, TEFC, Class 'F' insulation, IP55 protection, continuous rated (S1 duty) with bare shaft & key as per IS:12615 / IEC:60034-1.

KW	HP	Frame	Type Designation	List Price ₹	KW	HP	Frame	Type Designation	List Price ₹
6 Pole, 1000 rpm					8 Pole, 750 rpm				
0.18	0.25	71	2HE2 073-0603	10,200	0.12	0.16	71	2HE2 073-0803	11,070
0.25	0.33	71	2HE2 074-0603	10,880	0.18	0.25	80	2HE2 080-0803	11,400
0.37	0.50	80	2HE2 080-0603	11,750	0.25	0.33	80	2HE2 083-0803	12,190
0.55	0.75	80	2HE2 083-0603	12,060	0.37	0.50	90S	2HE2 090-0803	13,030
0.75	1.0	90S	2HE2 090-0603	13,590	0.55	0.75	90L	2HE2 096-0803	14,820
1.1	1.5	90L	2HE2 096-0603	15,420	0.75	1.0	100L	2HE2 106-0803	18,890
1.5	2.0	100L	2HE2 106-0603	20,200	1.1	1.5	100L	2HE2 107-0803	21,990
2.2	3.0	112M	2HE2 123-0603	22,840	1.5	2.0	112M	2HE2 123-0803	24,910
3.7	5.0	132S	2HE2 130-0603	35,550	2.2	3.0	132S	2HE2 130-0803	33,650
5.5	7.5	132M	2HE2 133-0603	42,960	3.7	5.0	132M	2HE2 133-0803 *	51,140
7.5	10.0	160M	2HE2 163-0603	63,460			160M	2HE2 163-0803	58,000
9.3	12.5	160L	2HE2 166-0603	73,990	5.5	7.5	160M	2HE2 164-0803	64,660
11.0	15.0	160L	2HE2 167-0603	78,100	7.5	10.0	160L	2HE2 166-0803	79,370
15.0	20.0	180L	2HE2 186-0603	1,02,030	9.3	12.5	180M	2HE2 183-0803	1,00,770
18.5	25.0	200L	2HE2 206-0603	1,39,050	11.0	15.0	180L	2HE2 186-0803	1,06,270
22.0	30.0	200L	2HE2 207-0603	1,45,440	15.0	20.0	200L	2HE2 206-0803	1,62,910
30.0	40.0	225MX	2HE2 223-0603	2,13,950	18.5	25.0	225SX	2HE2 220-0803	2,05,030
37.0	50.0	250MX	2HE2 253-0603	2,87,720	22.0	30.0	225MX	2HE2 223-0803	2,27,780
45.0	60.0	280SX	2HE2 280-0603	3,44,640	30.0	40.0	250MX	2HE2 253-0803	3,09,030
55.0	75.0	280MX	2HE2 283-0603	3,95,750	37.0	50.0	280SX	2HE2 280-0803	3,90,740
75.0	100.0	315SX	2HE2 310-0603	4,72,360	45.0	60.0	280MX	2HE2 283-0803	4,42,140
90.0	120.0	315MX	2HE2 313-0603	5,91,080	55.0	75.0	315SX	2HE2 310-0803	5,35,780
110.0	150.0	315MX	2HE2 314-0603	6,59,090	75.0	100.0	315MX	2HE2 313-0803	6,65,260
132.0	180.0	315LX	2HE2 317-0603	7,69,400	90.0	120.0	315LX	2HE2 316-0803	7,50,350
160.0	215.0	355SX	2HE2 350-0603	8,01,100	110.0	150.0	315LX	2HE2 317-0803	7,94,350
180.0	240.0	355MX	2HE2 354-0603	9,42,470	132.0	180.0	355SX	2HE2 350-0803	9,20,310
200.0	270.0	355MX	2HE2 353-0603	10,13,410	150.0	200.0	355MX	2HE2 354-0803	9,65,910
225.0	300.0	355LX	2HE2 356-0603	10,43,800	160.0	215.0	355MX	2HE2 353-0803	10,54,350
250.0	335.0	355LX	2HE2 357-0603	11,16,050	200.0	270.0	355LX	2HE2 356-0803	11,69,190
					225.0	300.0	355LX	2HE2 357-0803	12,88,130

\* 45°C Ambient, Insulation class F utilised upto class F limit.



32/A, Vidyavilla Comp., Old Nagardas Road,  
Andheri (East), Mumbai 400 069. Tel: 022-42500500  
Email: sales@hindmotors.com

IE3

42-1

HINDUSTAN IE3 induction motors suitable for 415V±10%, 50Hz±5%, combined ±10%, 3 phase supply, foot mounted (B3 construction), ambient temperature 50°C, TEFC, Class 'F' insulation, IP55 protection, continuous rated (S1 duty) with bare shaft & key as per IS:12615 / IEC:60034-1.

KW	HP	Frame	Type Designation	List Price ₹	KW	HP	Frame	Type Designation	List Price ₹
2 Pole, 3000 rpm					4 Pole, 1500 rpm				
0.18	0.25	63	2HE3 060-0203	7,510	0.12	0.16	63	2HE3 060-0403	7,560
0.25	0.33	63	2HE3 063-0203	8,260	0.18	0.25	63	2HE3 063-0403	8,190
0.37	0.50	71	2HE3 070-0203	8,650	0.25	0.33	71	2HE3 070-0403	8,870
0.55	0.75	71	2HE3 073-0203	11,260	0.37	0.50	71	2HE3 073-0403	9,140
0.75	1.0	80	2HE3 080-0203	11,630	0.55	0.75	80	2HE3 080-0403	11,960
1.1	1.5	80	2HE3 083-0203	12,690	0.75	1.0	80	2HE3 083-0403	12,400
1.5	2.0	90S	2HE3 090-0203	14,550	1.1	1.5	90S	2HE3 090-0403	14,480
2.2	3.0	90L	2HE3 096-0203	18,680	1.5	2.0	90L	2HE3 096-0403	17,600
3.7	5.0	100L	2HE3 106-0203	25,090	2.2	3.0	100L	2HE3 106-0403	20,940
5.5	7.5	132S	2HE3 130-0203	37,830	3.7	5.0	112M	2HE3 123-0403	26,520
7.5	10.0	132S	2HE3 131-0203	39,140	5.5	7.5	132S	2HE3 130-0403	36,820
9.3	12.5	160M	2HE3 163-0203	62,720	7.5	10.0	132M	2HE3 133-0403	43,520
11.0	15.0	160M	2HE3 164-0203	70,940	9.3	12.5	160M	2HE3 163-0403	68,090
15.0	20.0	160M	2HE3 165-0203	79,330	11.0	15.0	160M	2HE3 164-0403	69,520
18.5	25.0	160L	2HE3 166-0203	1,01,950	15.0	20.0	160L	2HE3 166-0403	84,780
22.0	30.0	180M	2HE3 183-0203	1,13,100	18.5	25.0	180M	2HE3 183-0403	1,08,490
30.0	40.0	200L	2HE3 206-0203	1,68,160	22.0	30.0	180L	2HE3 186-0403	1,18,820
37.0	50.0	200L	2HE3 207-0203	2,04,180	30.0	40.0	200L	2HE3 206-0403	1,65,460
45.0	60.0	225M	2HE3 223-0203	2,62,760	37.0	50.0	225SX	2HE3 220-0403	1,93,510
55.0	75.0	250M	2HE3 253-0203	3,43,620	45.0	60.0	225MX	2HE3 223-0403	2,34,540
75.0	100.0	280S	2HE3 280-0203	4,29,150	55.0	75.0	250MX	2HE3 253-0403	3,13,100
90.0	120.0	280M	2HE3 283-0203	4,95,060	75.0	100.0	280SX	2HE3 280-0403	3,81,060
110.0	150.0	315S	2HE3 310-0203	6,43,640	90.0	120.0	280MX	2HE3 283-0403	4,43,860
132.0	180.0	315M	2HE3 314-0203	7,91,050	110.0	150.0	315SX	2HE3 310-0403	5,37,610
160.0	215.0	315L	2HE3 316-0203	8,66,550	132.0	180.0	315MX	2HE3 314-0403	6,45,370
180.0	240.0	315L	2HE3 318-0203	9,12,260	160.0	215.0	315LX	2HE3 316-0403	7,39,060
200.0	270.0	315L	2HE3 317-0203	9,82,810	180.0	240.0	315LX	2HE3 318-0403	8,51,640
225.0	300.0	355S	2HE3 350-0203	10,70,570	200.0	270.0	315LX	2HE3 317-0403	9,45,530
250.0	335.0	355M	2HE3 353-0203	11,33,200	225.0	300.0	355SX	2HE3 350-0403	10,92,200
275.0	370.0	355L	2HE3 356-0203	11,99,690	250.0	335.0	355MX	2HE3 353-0403	11,66,560
315.0	425.0	355L	2HE3 357-0203	12,28,540	275.0	370.0	355LX	2HE3 356-0403	11,94,150
					315.0	425.0	355LX	2HE3 357-0403	13,53,850



32/A, Vidyavilla Comp., Old Nagardas Road,  
Andheri (East), Mumbai 400 069. Tel: 022-42500500  
Email: sales@hindmotors.com

IE3

42-1

HINDUSTAN IE3 induction motors suitable for 415V±10%, 50Hz±5%, combined ±10%, 3 phase supply, foot mounted (B3 construction), ambient temperature 50°C, TEFC, Class 'F' insulation, IP55 protection, continuous rated (S1 duty) with bare shaft & key as per IS:12615 / IEC:60034-1.

KW	HP	Frame	Type Designation	List Price ₹	KW	HP	Frame	Type Designation	List Price ₹
6 Pole, 1000 rpm					8 Pole, 750 rpm				
0.18	0.25	71	2HE3 073-0603	11,520	0.12	0.16	71	2HE3 073-0803	12,730
0.25	0.33	71	2HE3 074-0603	12,290	0.18	0.25	80	2HE3 080-0803	13,120
0.37	0.50	80	2HE3 080-0603	13,280	0.25	0.33	80	2HE3 083-0803	14,030
0.55	0.75	80	2HE3 083-0603	13,620	0.37	0.50	90S	2HE3 090-0803	15,000
0.75	1.0	90S	2HE3 090-0603	15,320	0.55	0.75	90L	2HE3 096-0803	17,020
1.1	1.5	90L	2HE3 096-0603	16,830	0.75	1.0	100L	2HE3 106-0803	21,730
1.5	2.0	100L	2HE3 106-0603	23,240	1.1	1.5	100L	2HE3 107-0803	25,280
2.2	3.0	112M	2HE3 123-0603	25,800	1.5	2.0	112M	2HE3 123-0803	28,640
3.7	5.0	132S	2HE3 130-0603	40,200	2.2	3.0	132S	2HE3 130-0803	38,720
5.5	7.5	132M	2HE3 133-0603	49,400	3.7	5.0	160M	2HE3 163-0803	66,710
7.5	10.0	160M	2HE3 163-0603	72,970	5.5	7.5	160M	2HE3 164-0803	73,060
9.3	12.5	160L	2HE3 166-0603	81,600	7.5	10.0	160L	2HE3 166-0803	91,260
11.0	15.0	160L	2HE3 167-0603	89,820	9.3	12.5	180M	2HE3 183-0803	1,15,890
15.0	20.0	180L	2HE3 186-0603	1,17,310	11.0	15.0	180L	2HE3 186-0803	1,22,220
18.5	25.0	200L	2HE3 206-0603	1,51,500	15.0	20.0	200L	2HE3 206-0803	1,87,360
22.0	30.0	200L	2HE3 207-0603	1,58,390	18.5	25.0	225SX	2HE3 220-0803	2,35,790
30.0	40.0	225MX	2HE3 223-0603	2,43,720	22.0	30.0	225MX	2HE3 223-0803	2,61,960
37.0	50.0	250MX	2HE3 253-0603	3,21,440	30.0	40.0	250MX	2HE3 253-0803	3,55,400
45.0	60.0	280SX	2HE3 280-0603	3,85,000	37.0	50.0	280SX	2HE3 280-0803	4,49,340
55.0	75.0	280MX	2HE3 283-0603	4,42,090	45.0	60.0	280MX	2HE3 283-0803	5,08,480
75.0	100.0	315SX	2HE3 310-0603	5,27,700	55.0	75.0	315SX	2HE3 310-0803	6,16,160
90.0	120.0	315MX	2HE3 313-0603	6,60,280	75.0	100.0	315MX	2HE3 313-0803	7,65,070
110.0	150.0	315MX	2HE3 314-0603	7,36,290	90.0	120.0	315LX	2HE3 316-0803	8,62,910
132.0	180.0	315LX	2HE3 317-0603	8,84,800	110.0	150.0	315LX	2HE3 317-0803	9,13,510
160.0	215.0	355SX	2HE3 350-0603	8,94,950	132.0	180.0	355SX	2HE3 350-0803	10,58,360
180.0	240.0	355MX	2HE3 354-0603	10,64,490	150.0	200.0	355MX	2HE3 354-0803	11,10,820
200.0	270.0	355MX	2HE3 353-0603	11,44,620	160.0	215.0	355MX	2HE3 353-0803	12,12,520
225.0	300.0	355LX	2HE3 356-0603	12,32,540	200.0	270.0	355LX	2HE3 356-0803	13,44,590
250.0	335.0	355LX	2HE3 357-0603	12,90,770	225.0	300.0	355LX	2HE3 357-0803	14,81,340



32/A, Vidyavilla Comp., Old Nagardas Road,  
Andheri (East), Mumbai 400 069. Tel: 022-42500500  
Email: sales@hindmotors.com

IE4

42-1

HINDUSTAN IE4 induction motors suitable for 415V±10%, 50Hz±5%, combined ±10%, 3 phase supply, foot mounted (B3 construction), ambient temperature 50°C, TEFC, Class 'F' insulation, IP55 protection, continuous rated (S1 duty) with bare shaft & key as per IS:12615 / IEC:60034-1.

KW	HP	Frame	Type Designation	List Price ₹	KW	HP	Frame	Type Designation	List Price ₹
2 Pole, 3000 rpm					4 Pole, 1500 rpm				
0.37	0.50	71	2HE4 070-0203	11,680	0.25	0.33	71	2HE4 070-0403	11,950
0.55	0.75	71	2HE4 073-0203	15,200	0.37	0.50	71	2HE4 073-0403	12,320
0.75	1.0	80	2HE4 080-0203	15,700	0.55	0.75	80	2HE4 080-0403	16,130
1.1	1.5	80	2HE4 083-0203	17,130	0.75	1.0	80	2HE4 083-0403	16,340
1.5	2.0	90S	2HE4 090-0203	19,640	1.1	1.5	90S	2HE4 090-0403	20,180
2.2	3.0	90L	2HE4 096-0203	25,210	1.5	2.0	90L	2HE4 096-0403	24,520
3.7	5.0	100L	2HE4 106-0203	32,330	2.2	3.0	100L	2HE4 106-0403	29,170
5.5	7.5	132S	2HE4 130-0203	53,340	3.7	5.0	112M	2HE4 123-0403	36,950
7.5	10.0	132S	2HE4 131-0203	55,200	5.5	7.5	132S	2HE4 130-0403	53,630
9.3	12.5	160M	2HE4 163-0203	85,420	7.5	10.0	132M	2HE4 133-0403	63,400
11.0	15.0	160M	2HE4 164-0203	92,230	9.3	12.5	160M	2HE4 163-0403	95,780
15.0	20.0	160M	2HE4 165-0203	1,08,050	11.0	15.0	160M	2HE4 164-0403	97,810
18.5	25.0	160L	2HE4 166-0203	1,38,850	15.0	20.0	160L	2HE4 166-0403	1,19,270
22.0	30.0	180M	2HE4 183-0203	1,54,030	18.5	25.0	180M	2HE4 183-0403	1,52,620
30.0	40.0	200L	2HE4 206-0203	2,29,020	22.0	30.0	180L	2HE4 186-0403	1,67,160
37.0	50.0	200L	2HE4 207-0203	2,78,080	30.0	40.0	200L	2HE4 206-0403	2,30,550
45.0	60.0	225M	2HE4 223-0203	3,57,860	37.0	50.0	225SX	2HE4 220-0403	2,69,630
55.0	75.0	250M	2HE4 253-0203	4,81,750	45.0	60.0	225MX	2HE4 223-0403	3,26,790
75.0	100.0	280S	2HE4 280-0203	5,78,510	55.0	75.0	250MX	2HE4 253-0403	4,49,090
90.0	120.0	280M	2HE4 283-0203	6,67,360	75.0	100.0	280SX	2HE4 280-0403	5,26,010
110.0	150.0	315S	2HE4 310-0203	8,42,870	90.0	120.0	280MX	2HE4 283-0403	6,12,700
132.0	180.0	315M	2HE4 314-0203	10,35,920	110.0	150.0	315SX	2HE4 310-0403	7,42,100
160.0	215.0	315L	2HE4 316-0203	11,34,780	132.0	180.0	315MX	2HE4 314-0403	8,69,540
180.0	240.0	315L	2HE4 318-0203	11,94,620	160.0	215.0	315LX	2HE4 316-0403	10,20,200
200.0	270.0	315L	2HE4 317-0203	13,24,870	180.0	240.0	315LX	2HE4 318-0403	11,15,460
225.0	300.0	355S	2HE4 350-0203	14,01,950	200.0	270.0	315LX	2HE4 317-0403	12,38,430
250.0	335.0	355M	2HE4 353-0203	14,83,940	225.0	300.0	355SX	2HE4 350-0403	14,30,530
275.0	370.0	355L	2HE4 356-0203	15,71,040	250.0	335.0	355MX	2HE4 353-0403	15,27,930
315.0	425.0	355L	2HE4 357-0203	16,08,800	275.0	370.0	355LX	2HE4 356-0403	15,64,050
					315.0	425.0	355LX	2HE4 357-0403	17,73,240



32/A, Vidyavilla Comp., Old Nagardas Road,  
Andheri (East), Mumbai 400 069. Tel: 022-42500500  
Email: sales@hindmotors.com

IE4

42-1

HINDUSTAN IE4 induction motors suitable for 415V±10%, 50Hz±5%, combined ±10%, 3 phase supply, foot mounted (B3 construction), ambient temperature 50°C, TEFC, Class 'F' insulation, IP55 protection, continuous rated (S1 duty) with bare shaft & key as per IS:12615 / IEC:60034-1.

KW	HP	Frame	Type Designation	List Price ₹	KW	HP	Frame	Type Designation	List Price ₹
6 Pole, 1000 rpm					8 Pole, 750 rpm				
0.18	0.25	71	2HE4 073-0603	15,100	0.12	0.16	71	2HE4 073-0803	16,100
0.25	0.33	71	2HE4 074-0603	16,120	0.18	0.25	80	2HE4 080-0803	17,000
0.37	0.50	80	2HE4 080-0603	17,430	0.25	0.33	80	2HE4 083-0803	18,180
0.55	0.75	80	2HE4 083-0603	17,870	0.37	0.50	90S	2HE4 090-0803	19,420
0.75	1.0	90S	2HE4 090-0603	20,110	0.55	0.75	90L	2HE4 096-0803	22,050
1.1	1.5	90L	2HE4 096-0603	22,090	0.75	1.0	100L	2HE4 106-0803	28,140
1.5	2.0	100L	2HE4 106-0603	30,480	1.1	1.5	100L	2HE4 107-0803	32,730
2.2	3.0	112M	2HE4 123-0603	33,840	1.5	2.0	112M	2HE4 123-0803	37,070
3.7	5.0	132S	2HE4 130-0603	52,720	2.2	3.0	132S	2HE4 130-0803	50,130
5.5	7.5	132M	2HE4 133-0603	64,800	3.7	5.0	160M	2HE4 163-0803	87,150
7.5	10.0	160M	2HE4 163-0603	96,580	5.5	7.5	160M	2HE4 164-0803	97,170
9.3	12.5	160L	2HE4 166-0603	1,08,010	7.5	10.0	160L	2HE4 166-0803	1,19,220
11.0	15.0	160L	2HE4 167-0603	1,18,880	9.3	12.5	180M	2HE4 183-0803	1,51,380
15.0	20.0	180L	2HE4 186-0603	1,55,280	11.0	15.0	180L	2HE4 186-0803	1,59,660
18.5	25.0	200L	2HE4 206-0603	2,08,310	15.0	20.0	200L	2HE4 206-0803	2,49,190
22.0	30.0	200L	2HE4 207-0603	2,17,780	18.5	25.0	225SX	2HE4 220-0803	3,13,600
30.0	40.0	225MX	2HE4 223-0603	3,35,110	22.0	30.0	225MX	2HE4 223-0803	3,48,420
37.0	50.0	250MX	2HE4 253-0603	4,50,650	30.0	40.0	250MX	2HE4 253-0803	4,72,690
45.0	60.0	280SX	2HE4 280-0603	5,39,750	37.0	50.0	280SX	2HE4 280-0803	5,97,620
55.0	75.0	280MX	2HE4 283-0603	6,19,800	45.0	60.0	280MX	2HE4 283-0803	6,76,270
75.0	100.0	315SX	2HE4 310-0603	7,11,350	55.0	75.0	315SX	2HE4 310-0803	8,19,480
90.0	120.0	315MX	2HE4 313-0603	8,90,080	75.0	100.0	315MX	2HE4 313-0803	10,17,550
110.0	150.0	315MX	2HE4 314-0603	9,92,550	90.0	120.0	315LX	2HE4 316-0803	11,47,670
132.0	180.0	315LX	2HE4 317-0603	11,58,670	110.0	150.0	315LX	2HE4 317-0803	12,14,970
160.0	215.0	355SX	2HE4 350-0603	12,06,430	132.0	180.0	355SX	2HE4 350-0803	14,07,630
180.0	240.0	355MX	2HE4 354-0603	13,30,610	150.0	200.0	355MX	2HE4 354-0803	14,77,380
200.0	270.0	355MX	2HE4 353-0603	14,30,770	160.0	215.0	355MX	2HE4 353-0803	16,12,660
225.0	300.0	355LX	2HE4 356-0603	14,73,700	200.0	270.0	355LX	2HE4 356-0803	17,88,310
250.0	335.0	355LX	2HE4 357-0603	16,13,460	225.0	300.0	355LX	2HE4 357-0803	19,70,180





32/A, Vidyavilla Comp., Old Nagardas Road,  
Andheri (East), Mumbai 400 069. Tel: 022-42500500  
Fax: 022-28380947.

PH2

42-1

HINDUSTAN POWER HORSE series IE2 induction motors suitable for 415V±10%, 50Hz±5%, combined ±10%, 3 phase supply, foot mounted (B3 construction), ambient temperature 50°C, TEFC, Class 'H' insulation, IP55 protection, Epoxy base paint, PTC thermistors, continuous rated (S1 duty) with bare shaft & key as per IS:12615 / IEC:60034-1.

KW	HP	Frame	Type Designation	List Price ₹	KW	HP	Frame	Type Designation	List Price ₹
<b>2 Pole, 3000 rpm</b>					<b>4 Pole, 1500 rpm</b>				
75.0	100.0	280S	2PH2 280-0203	3,91,920	75.0	100.0	280SX	2PH2 280-0403	3,59,720
90.0	120.0	280M	2PH2 283-0203	4,52,070	90.0	120.0	280MX	2PH2 283-0403	4,18,990
110.0	150.0	315S	2PH2 310-0203	6,03,960	110.0	150.0	315SX	2PH2 310-0403	4,90,970
132.0	180.0	315M	2PH2 314-0203	7,42,270	132.0	180.0	315MX	2PH2 314-0403	5,75,260
160.0	215.0	315L	2PH2 316-0203	8,13,080	160.0	215.0	315LX	2PH2 316-0403	7,13,850
180.0	240.0	315L	2PH2 318-0203	8,55,960	180.0	240.0	315LX	2PH2 318-0403	7,80,520
200.0	270.0	315L	2PH2 317-0203	9,27,720	200.0	270.0	315LX	2PH2 317-0403	8,19,320
225.0	300.0	355S	2PH2 350-0203	10,68,910	225.0	300.0	355SX	2PH2 350-0403	9,96,660
250.0	335.0	355M	2PH2 353-0203	10,68,910	250.0	335.0	355MX	2PH2 353-0403	10,57,490
275.0	370.0	355L	2PH2 356-0203	11,25,690	275.0	370.0	355LX	2PH2 356-0403	10,94,420
315.0	425.0	355L	2PH2 357-0203	11,52,750	315.0	425.0	355LX	2PH2 357-0403	12,40,800
<b>6 Pole, 1000 rpm</b>					<b>8 Pole, 750 rpm</b>				
45.0	60.0	280SX	2PH2 280-0603	3,54,980	37.0	50.0	280SX	2PH2 280-0803	4,02,470
55.0	75.0	280MX	2PH2 283-0603	4,07,640	45.0	60.0	280MX	2PH2 283-0803	4,55,420
75.0	100.0	315SX	2PH2 310-0603	4,86,530	55.0	75.0	315SX	2PH2 310-0803	5,51,840
90.0	120.0	315MX	2PH2 313-0603	6,08,790	75.0	100.0	315MX	2PH2 313-0803	6,85,230
110.0	150.0	315MX	2PH2 314-0603	6,78,870	90.0	120.0	315LX	2PH2 316-0803	7,72,880
132.0	180.0	315LX	2PH2 317-0603	7,92,470	110.0	150.0	315LX	2PH2 317-0803	8,18,180
160.0	215.0	355SX	2PH2 350-0603	8,25,160	132.0	180.0	355SX	2PH2 350-0803	9,47,910
180.0	240.0	355MX	2PH2 354-0603	9,70,750	150.0	200.0	355MX	2PH2 354-0803	9,94,900
200.0	270.0	355MX	2PH2 353-0603	10,43,800	160.0	215.0	355MX	2PH2 353-0803	10,86,000
225.0	300.0	355LX	2PH2 356-0603	10,75,130	200.0	270.0	355LX	2PH2 356-0803	12,04,270
250.0	335.0	355LX	2PH2 357-0603	11,49,530	225.0	300.0	355LX	2PH2 357-0803	13,26,770



32/A, Vidyavilla Comp., Old Nagardas Road,  
Andheri (East), Mumbai 400 069. Tel: 022-42500500  
Email: sales@hindmotors.com

PH3

42-1

HINDUSTAN POWER HORSE series IE3 induction motors suitable for 415V±10%, 50Hz±5%, combined ±10%, 3 phase supply, foot mounted (B3 construction), ambient temperature 50°C, TEFC, Class 'H' insulation, IP55 protection, Epoxy base paint, PTC thermistors, continuous rated (S1 duty) with bare shaft & key as per IS:12615 / IEC:60034-1.

KW	HP	Frame	Type Designation	List Price ₹	KW	HP	Frame	Type Designation	List Price ₹
2 Pole, 3000 rpm					4 Pole, 1500 rpm				
75.0	100.0	280S	2PH3 280-0203	4,42,030	75.0	100.0	280SX	2PH3 280-0403	3,92,470
90.0	120.0	280M	2PH3 283-0203	5,09,910	90.0	120.0	280MX	2PH3 283-0403	4,57,180
110.0	150.0	315S	2PH3 310-0203	6,63,000	110.0	150.0	315SX	2PH3 310-0403	5,53,740
132.0	180.0	315M	2PH3 314-0203	8,14,800	132.0	180.0	315MX	2PH3 314-0403	6,64,740
160.0	215.0	315L	2PH3 316-0203	8,92,550	160.0	215.0	315LX	2PH3 316-0403	7,61,240
180.0	240.0	315L	2PH3 318-0203	9,39,620	180.0	240.0	315LX	2PH3 318-0403	8,77,220
200.0	270.0	315L	2PH3 317-0203	10,12,270	200.0	270.0	315LX	2PH3 317-0403	9,73,930
225.0	300.0	355S	2PH3 350-0203	11,02,680	225.0	300.0	355SX	2PH3 350-0403	11,24,980
250.0	335.0	355M	2PH3 353-0203	11,67,220	250.0	335.0	355MX	2PH3 353-0403	12,01,530
275.0	370.0	355L	2PH3 356-0203	12,35,680	275.0	370.0	355LX	2PH3 356-0403	12,29,970
315.0	425.0	355L	2PH3 357-0203	12,65,390	315.0	425.0	355LX	2PH3 357-0403	13,94,480
6 Pole, 1000 rpm					8 Pole, 750 rpm				
45.0	60.0	280SX	2PH3 280-0603	3,96,560	37.0	50.0	280SX	2PH3 280-0803	4,62,830
55.0	75.0	280MX	2PH3 283-0603	4,55,380	45.0	60.0	280MX	2PH3 283-0803	5,23,740
75.0	100.0	315SX	2PH3 310-0603	5,43,520	55.0	75.0	315SX	2PH3 310-0803	6,34,640
90.0	120.0	315MX	2PH3 313-0603	6,80,110	75.0	100.0	315MX	2PH3 313-0803	7,88,030
110.0	150.0	315MX	2PH3 314-0603	7,58,360	90.0	120.0	315LX	2PH3 316-0803	8,88,790
132.0	180.0	315LX	2PH3 317-0603	9,11,340	110.0	150.0	315LX	2PH3 317-0803	9,40,900
160.0	215.0	355SX	2PH3 350-0603	9,21,800	132.0	180.0	355SX	2PH3 350-0803	10,90,130
180.0	240.0	355MX	2PH3 354-0603	10,96,430	150.0	200.0	355MX	2PH3 354-0803	11,44,140
200.0	270.0	355MX	2PH3 353-0603	12,14,450	160.0	215.0	355MX	2PH3 353-0803	12,48,890
225.0	300.0	355LX	2PH3 356-0603	12,69,500	200.0	270.0	355LX	2PH3 356-0803	13,84,920
250.0	335.0	355LX	2PH3 357-0603	13,29,500	225.0	300.0	355LX	2PH3 357-0803	15,25,790



32/A, Vidyavilla Comp., Old Nagardas Road,  
Andheri (East), Mumbai 400 069. Tel: 022-42500500  
Email: sales@hindmotors.com

HD3

42-1

HINDUSTAN DUPLEX COOLING type IE3 induction motors suitable for 415V±10%, 50Hz±5%, combined ±10%, 3 phase supply, foot mounted (B3 construction), ambient temperature 40°C, TEFC, Class 'H' insulation with class 'F' temp. rise, IP55 protection, continuous rated (S1 duty) with bare shaft & key inclusive of PTC thermistors & anti condensation heaters as per IS:12615 / IEC:60034-1.

KW	HP	Frame	Type Designation	List Price ₹	KW	HP	Frame	Type Designation	List Price ₹
<b>2 Pole, 3000 rpm</b>					<b>4 Pole, 1500 rpm</b>				
250.0	335.0	315M	2HD3 313-0203	10,54,900	250.0	335.0	315MX	2HD3 313-0403	10,19,920
315.0	425.0	315L	2HD3 316-0203	11,62,570	315.0	425.0	315LX	2HD3 316-0403	11,85,030
355.0	475.0	355S	2HD3 350-0203	14,66,140	355.0	475.0	355SX	2HD3 350-0403	14,61,100
400.0	536.0	355M	2HD3 353-0203	16,11,140	400.0	536.0	355MX	2HD3 353-0403	15,79,530
450.0	603.0	355M	2HD3 354-0203	17,72,060	450.0	603.0	355MX	2HD3 354-0403	18,32,930
500.0	670.0	355L	2HD3 356-0203	19,49,190	500.0	670.0	355LX	2HD3 356-0403	18,94,070
<b>6 Pole, 1000 rpm</b>					<b>8 Pole, 750 rpm</b>				
160.0	215.0	315SX	2HD3 310-0603	8,66,310	160.0	215.0	315MX	2HD3 313-0803	10,38,730
200.0	270.0	315MX	2HD3 313-0603	10,39,260	200.0	270.0	315LX	2HD3 316-0803	11,73,770
250.0	335.0	315LX	2HD3 316-0603	11,43,190	250.0	335.0	355MX	2HD3 353-0803	19,12,370
315.0	425.0	355MX	2HD3 353-0603	15,02,930	315.0	425.0	355LX	2HD3 356-0803	21,01,500
355.0	475.0	355LX	2HD3 356-0603	16,33,610					
400.0	536.0	355LX	2HD3 357-0603	19,73,500					



32/A, Vidyavilla Comp., Old Nagardas Road,  
Andheri (East), Mumbai 400 069. Tel: 022-42500500  
Email: sales@hindmotors.com

HC

42-1

HINDUSTAN Crane & Hoist duty Squirrel Cage Induction Motors suitable for 415V±10%, 50Hz±5%, combined ±10%, 3 phase supply, foot mounted (B3 construction), ambient temp. 50°C, Class 'F' insulation, IP55 protection, TEFC construction, Duty type S4-40%, 150 st/hr with bare shaft & key as per IEC:60034-1.

KW	HP	Frame	Type Designation	List Price ₹	KW	HP	Frame	Type Designation	List Price ₹
4 Pole, 1500 rpm					6 Pole, 1000 rpm				
0.18	0.25	63	2HC2 060-0403	7,000	9.3	12.5	160M	2HC2 163-0603	66,640
0.25	0.33	63	2HC2 063-0403	7,580	11.0	15.0	160L	2HC2 166-0603	77,700
0.37	0.50	71	2HC2 070-0403	8,210	15.0	20.0	160L	2HC2 167-0603	82,010
0.55	0.75	71	2HC2 073-0403	8,470	18.5	25.0	180L	2HC2 186-0603	1,07,130
0.75	1.0	80	2HC2 080-0403	11,050	22.0	30.0	200L	2HC2 207-0603	1,52,710
1.1	1.5	80	2HC2 083-0403	11,240	30.0	40.0	225MX	2HC2 223-0603	2,24,650
1.5	2.0	90S	2HC2 090-0403	13,830	37.0	50.0	250MX	2HC2 253-0603	3,02,110
2.2	3.0	90L	2HC2 096-0403	16,830	45.0	60.0	280SX	2HC2 280-0603	3,61,880
3.7	5.0	100L	2HC2 106-0403	20,040	55.0	75.0	280MX	2HC2 283-0603	4,15,540
5.5	7.5	112M	2HC2 123-0403	25,380	75.0	100.0	315SX	2HC2 310-0603	4,95,980
7.5	10.0	132S	2HC2 130-0403	34,430	90.0	120.0	315MX	2HC2 313-0603	6,20,640
9.3	12.5	132M	2HC2 133-0403	41,630	110.0	150.0	315MX	2HC2 314-0603	6,92,050
11.0	15.0	160M	2HC2 163-0403	62,750	132.0	180.0	315LX	2HC2 316-0603	8,07,870
15.0	20.0	160M	2HC2 164-0403	64,850	8 Pole, 750 rpm				
18.5	25.0	160L	2HC2 166-0403	81,880	0.18	0.25	71	2HC2 073-0803	11,620
22.0	30.0	180M	2HC2 183-0403	1,02,400	0.25	0.33	80	2HC2 080-0803	11,970
30.0	40.0	180L	2HC2 186-0403	1,12,160	0.37	0.50	80	2HC2 083-0803	12,800
37.0	50.0	200L	2HC2 206-0403	1,54,700	0.55	0.75	90S	2HC2 090-0803	13,690
45.0	60.0	225MX	2HC2 223-0403	2,19,250	0.75	1.0	90L	2HC2 096-0803	15,570
55.0	75.0	250MX	2HC2 253-0403	3,08,300	1.1	1.5	100L	2HC2 106-0803	19,840
75.0	100.0	280SX	2HC2 280-0403	3,66,710	1.5	2.0	100L	2HC2 107-0803	23,100
90.0	120.0	280MX	2HC2 283-0403	4,27,110	2.2	3.0	112M	2HC2 123-0803	26,160
110.0	150.0	315SX	2HC2 310-0403	5,00,490	3.7	5.0	132S	2HC2 130-0803	35,330
132.0	180.0	315MX	2HC2 313-0403	5,86,430	5.5	7.5	160M	2HC2 163-0803	60,900
160.0	215.0	315LX	2HC2 316-0403	7,27,730	7.5	10.0	160L	2HC2 166-0803	67,900
200.0	270.0	315LX	2HC2 318-0403	8,83,390	9.3	12.5	160L	2HC2 167-0803	83,340
6 Pole, 1000 rpm					11.0	15.0	180L	2HC2 186-0803	1,11,590
0.18	0.25	71	2HC2 070-0603	10,500	15.0	20.0	200L	2HC2 206-0803	1,71,070
0.25	0.33	71	2HC2 073-0603	10,720	18.5	25.0	225SX	2HC2 220-0803	2,15,290
0.37	0.50	71	2HC2 074-0603	11,430	22.0	30.0	225MX	2HC2 223-0803	2,39,180
0.55	0.75	80	2HC2 080-0603	12,330	30.0	40.0	250MX	2HC2 253-0803	3,24,480
0.75	1.0	80	2HC2 083-0603	12,670	37.0	50.0	280SX	2HC2 280-0803	4,10,280
1.1	1.5	90S	2HC2 090-0603	14,280	45.0	60.0	280MX	2HC2 283-0803	4,64,250
1.5	2.0	90L	2HC2 096-0603	16,200	55.0	75.0	315SX	2HC2 310-0803	5,62,580
2.2	3.0	100L	2HC2 106-0603	21,210	75.0	100.0	315MX	2HC2 313-0803	6,98,530
3.7	5.0	112M	2HC2 123-0603	23,990	90.0	120.0	315LX	2HC2 316-0803	7,87,870
5.5	7.5	132S	2HC2 130-0603	37,340	110.0	150.0	315LX	2HC2 317-0803	8,34,070
7.5	10.0	132M	2HC2 133-0603	45,120					

**ANNEXURE 1: GUIDELINES FOR PRICE CALCULATION OF NON STANDARD MOTORS**

Sr. No.	Special Features & Scope	Frame Size	Price
<b>1.0</b>	<b>Non-standard winding</b>		
1.1	Non standard voltage/frequency other than 415V, 50Hz	All	380V, 50Hz
			Voltage change other than 380V, 415V & 220V
			Freq. change other than 50Hz
			Combined change other than those specified above
1.2	Insulation class 'H'	All	10%
1.3	Two speed motors with single winding not specified in the price list	All	On request
	Two speed motors with separate winding	100 & above	20% of higher price for among poarity
1.4	Crane duty motor	All	5%
1.5	Ambient Temp. -30 to +65°C	All	List price as per selected frame
<b>2.0</b>	<b>Winding Protection</b>		
2.1	Vacuum Pressure Impregnation for winding	63-225	5%
		250-355	Nil
2.2	Epoxy gelcoat on winding	All	5%
2.3	Anti Condensation Heater (Space Heater)	80-112	₹ 2,220
		132-180	₹ 2,950
		200-355	₹ 5,890
2.4	Thermistors	Standard Motors	Set of 3 Nos.
			Set of 6 Nos.
		Flameproof motors	Set of 3 Nos.
			Set of 6 Nos.
		All	₹ 2,220
		160FLP & above	₹ 4,420
			₹ 4,750
			₹ 5,660
2.5	RTD (For Standard motors only)	3 wire simplex	Set of 3 Nos.
			Set of 6 Nos.
		6 wire duplex	Set of 3 Nos.
			Set of 6 Nos.
		All	₹ 6,640
			₹ 11,400
			₹ 11,400
			₹ 17,670
2.6	BTD (2 Nos.) duplex type with wires terminated in auxilliary terminal box	200-225	₹ 8,800
		250-355	₹ 10,000
2.7	Thermostat	1 No.	All
			₹ 630
<b>3.0</b>	<b>Non-standard Construction</b>		
3.1	Non std shaft	Shaft length = 2E max.	5%
		Double shaft extension	7.5%
		Shaft length more than 2E	On request
		Shaft material EN 24	10%
		Taper single shaft extension taper 1:10	5%
		Taper double shaft extension taper 1:10	10%
		Stainless steel shaft	On request
3.2	Mounting	B5* / B14 / V1 / V3* / V18 / V19	Upto 132
		* Not recommended for frame 355	160 & above
		B35 / B34	All
			3%
			5%
			5%
3.3	Special fixing dimensions other than IS:1231/2223	All	20%
3.4	Noise level as per IS:12065		No Extra
	Upto 85 dB(A) @ 1m at no load for 4 pole & above motors	All	5%
	Upto 90 dB(A) @ 1m at no load for 2 pole motors		
3.5	Special low vibration motors for machine tools conforming to vibration grade B as per Table 1 of IEC:60034-14	All	10%
3.6	Jacking out holes on motor feet	280 & above	5%
3.7	Stainless steel hardware	100 & above	7.5% upto max ₹ 5,000
3.8	Roller table motors in CI body having circular fins	112-200	20% extra over IE2

Sr. No.	Special Features & Scope			Frame Size	Price		
4.0	<b>Further Mountings</b>						
4.1	Motor suitable for brake mounting arrangement (Customer to provide brake details. Brake mounting is not in HM scope)			All	15%		
4.2	Brake motor kit (Brake protection IP54)  (Refer Technical catalogue for brake selection)	Brake size	Torque (Nm)				
		06	4	63, 71	₹ 5,150		
		08	8	71, 80	₹ 5,630		
		10	16	80, 90	₹ 8,250		
		12	32	90, 100	₹ 9,410		
		14	60	100, 112	₹ 11,770		
		16	80	112, 132	₹ 16,160		
		18	150	132, 160	₹ 21,370		
		20	260	160, 180	₹ 27,180		
		25	400	180, 200	₹ 38,190		
31	600, 800	225, 250	₹ 74,900				
4.3	Encoder mounting arrangement for inverter duty motors suitable for hollow shaft encoders			100-132	₹ 3,690		
				160-250	₹ 4,420		
				280-355	₹ 5,680		
4.4	Force cooling arrangement (inclusive of force cooling fan) for inverter duty motors (3 ph, 415V, 50Hz fan motor)			90-132	₹ 5,890		
				160-180	₹ 7,080		
				200-225	₹ 16,980		
				250	₹ 25,870		
				280	₹ 32,050		
				315	₹ 35,540		
355	₹ 43,170						
5.0	<b>Fan &amp; Fan Cover</b>						
5.1	Cast iron fan in place of plastic fan			All	10%		
5.2	Clean flow fan cover			All	7.5%		
6.0	<b>Bearings</b>						
6.1	Frame size	Roller Bearing (at DE)		Hybrid Bearing (at NDE)		Insulated Bearing (at NDE)	
		Size	Price	Size	Price	Size	Price
	132 / 132FLP	NU 208	₹ 1,400	6208	₹ 9,920		
	132FLP	NU 308	₹ 1,600	-		-	
	160 / 160FLP	NU 309	₹ 2,170	6209	₹ 10,400		
	180 / 180FLP	NU 310	₹ 2,220	6210	₹ 11,070	6310	₹ 23,470
	200 / 200FLP	NU 312	₹ 3,580			6312	₹ 25,640
	225 / 225FLP	NU 313	₹ 3,830			6313	₹ 27,150
	250 / 250FLP	NU 315	₹ 3,980			6315	₹ 30,240
	280 / 280FLP	NU 317	₹ 5,860			6317	₹ 31,670
	315 / 315FLP	NU 319	₹ 5,990			6319	₹ 34,770
355	NU 322	₹ 6,630	6322	₹ 44,700			
6.2	Bearing Temperature Detector (BTD) ROD type (Duplex) terminated in auxilliary TB, 2 Nos.			280-355	₹ 9,350		
7.0	<b>Terminal Box</b>						
7.1	One size larger terminal box			100-315	3%		
7.2	Flying Leads up to 1m & 6 leads			All	5%		
7.3	Cast iron terminal box			63-250	5%		
7.4	Cable gland (per run of cable) Standard / Flameproof * * Flameproof cable glands of double compression type			63-90	₹ 600 / ₹ 1,420		
				100-132	₹ 830 / ₹ 2,370		
				160-180	₹ 1,190 / ₹ 2,960		
				200-250	₹ 2,370 / ₹ 7,100		
				280-315	₹ 3,550 / ₹ 10,650		
				355	₹ 4,730 / -		

Sr. No.	Special Features & Scope	Frame Size	Price
8.0	<b>Painting</b>		
8.1	Non-standard paint shade	Standard motors other than RAL shade 6011 Flameproof motors other than RAL shade 7046	All 5%
8.2	Anti corrosive epoxy paint	All	3%
8.3	External epoxy paint + gelcoat on winding	All	10%
8.4	Motor delivered with red oxide primer	All	No reduction
8.5	Additional paint thickness upto 130μ	All	5%
8.6	C3-M/C4-M/C5-M painting for any paint shade (Applicable for minimum order value of ₹ 50 Lacs)	All	20%
9.0	<b>Motor Protection</b>		
9.1	IP56 / IP65 Protection	All	5%
10.0	<b>Testing</b>		
10.1	IP test	All	On request
10.2	Witness testing of routine test per motor	63-90 100-132 160-250 280-355	₹ 1,410 ₹ 2,810 ₹ 4,210 ₹ 5,610
	Additional No-load running over routine testing	All	₹ 1,500
10.3	Witness testing of type test per motor	63-90 100-132 160-250 280-315 355	₹ 4,210 ₹ 7,010 ₹ 9,800 ₹ 15,400 ₹ 19,590
	Dimension check	All	25% of type test of frame involved
10.4	Witness testing of pressure test on FLP component's set per motor	63-132 160-315	₹ 3,000 ₹ 8,500
10.5	2nd numeral IP55 test per motor	63-132 160-250 280-355	₹ 3,000 ₹ 4,000 ₹ 5,000
10.6	Testing with inverter drive (Customer to arrange for drive)		
	With third party laboratory witness	All	₹ 1,10,000
	Without third party laboratory witness		₹ 50,000
11.0	<b>Miscellaneous</b>		
11.1	Motor delivered in unpacked condition	All	No reduction
11.2	Sea worthy packing	All	5%
11.3	Additional nameplates	All	₹ 400
11.4	Direction arrow plate	All	₹ 400

**Note:**

1. All % (percentage) figures are to be loaded on the list price.
2. All ₹ (rupee) figures are to be added on nett price.
3. For any other special features, please refer to head office.