

# Price list no. 43/2024

Effective from 28th May 2024



### **TERMS & CONDITIONS**

1. This price list supersedes all the previous price lists.
2. The prices quoted are Ex-factory.
3. The prices & frame sizes are subject to change without prior notice.
4. GST will be charged extra as applicable at the time of delivery.
5. All orders are booked subject to price & discount ruling at the time of delivery.
6. Aluminium body motors are available in frame sizes 63 to 132.
7. Higher than 12 pole motors are available for cooling tower motors on request.



32/A, Vidyavilla Comp., Old Nagardas Road,  
Andheri (East), Mumbai 400 069. Tel: 022-42500500  
Email: sales@hindmotors.com

HL

43

**HINDUSTAN Cooling tower** induction motors suitable for 415V $\pm$ 10%, 50Hz $\pm$ 5%, combined  $\pm$ 10%, 3 phase supply, flange mounted (B5 construction), ambient temperature 50°C, TE construction, Class 'F' insulation, IP55 protection, continuous rated (S1 duty) as per IS/IEC:60034-1.

| KW                                                              | HP   | Frame | Type Designation | List Price ₹ | KW                           | HP   | Frame | Type Designation | List Price ₹ |
|-----------------------------------------------------------------|------|-------|------------------|--------------|------------------------------|------|-------|------------------|--------------|
| <b>4 Pole, 1500 rpm, IE2</b>                                    |      |       |                  |              | <b>4 Pole, 1500 rpm, IE3</b> |      |       |                  |              |
| 0.37                                                            | 0.50 | 71    | 2KL2 073-0405    | 9,500        | 0.37                         | 0.50 | 71    | 2KL3 073-0405    | 10,770       |
| 0.55                                                            | 0.75 | 80    | 2KL2 080-0405    | 12,390       | 0.55                         | 0.75 | 80    | 2KL3 080-0405    | 14,050       |
| 0.75                                                            | 1.0  | 80    | 2KL2 083-0405    | 12,590       | 0.75                         | 1.0  | 80    | 2KL3 083-0405    | 14,620       |
| 1.1                                                             | 1.5  | 90S   | 2KL2 090-0405    | 15,530       | 1.1                          | 1.5  | 90S   | 2KL3 090-0405    | 17,050       |
| 1.5                                                             | 2.0  | 90L   | 2KL2 096-0405    | 18,060       | 1.5                          | 2.0  | 90L   | 2KL3 096-0405    | 19,830       |
| <b>6 Pole, 1000 rpm, IE2</b>                                    |      |       |                  |              | <b>6 Pole, 1000 rpm, IE3</b> |      |       |                  |              |
| 0.75                                                            | 1.0  | 90S   | 2KL2 090-0605    | 15,960       | 0.75                         | 1.0  | 90S   | 2KL3 090-0605    | 18,060       |
| 1.1                                                             | 1.5  | 90L   | 2KL2 096-0605    | 18,170       | 1.1                          | 1.5  | 90L   | 2KL3 096-0605    | 20,500       |
| 1.5                                                             | 2.0  | 100L  | 2KL2 106-0605    | 23,130       | 1.5                          | 2.0  | 100L  | 2KL3 106-0605    | 26,620       |
| 2.2                                                             | 3.0  | 112M  | 2KL2 123-0605    | 26,870       | 2.2                          | 3.0  | 112M  | 2KL3 123-0605    | 30,390       |
| 3.7                                                             | 5.0  | 132S  | 2KL2 130-0605    | 41,850       | 3.7                          | 5.0  | 132S  | 2KL3 130-0605    | 47,270       |
| 5.5                                                             | 7.5  | 132M  | 2KL2 133-0605    | 50,570       | 5.5                          | 7.5  | 132M  | 2KL3 133-0605    | 58,170       |
| 7.5                                                             | 10.0 | 160M  | 2KL2 164-0605    | 72,960       | 7.5                          | 10.0 | 160M  | 2KL3 164-0605    | 83,900       |
| 9.3                                                             | 12.5 | 160L  | 2KL2 166-0605    | 87,100       | 9.3                          | 12.5 | 160L  | 2KL3 166-0605    | 98,380       |
| 11.0                                                            | 15.0 | 160L  | 2KL2 167-0605    | 91,920       | 11.0                         | 15.0 | 160L  | 2KL3 167-0605    | 105,730      |
| <b>8 Pole, 750 rpm, IE2</b>                                     |      |       |                  |              | <b>8 Pole, 750 rpm, IE3</b>  |      |       |                  |              |
| 1.1                                                             | 1.5  | 100L  | 2KL2 107-0805    | 25,880       | 1.1                          | 1.5  | 100L  | 2KL3 107-0805    | 29,780       |
| 1.5                                                             | 2.0  | 112M  | 2KL2 123-0805    | 29,320       | 1.5                          | 2.0  | 112M  | 2KL3 123-0805    | 33,720       |
| 2.2                                                             | 3.0  | 132S  | 2KL2 130-0805    | 39,600       | 2.2                          | 3.0  | 132S  | 2KL3 130-0805    | 45,550       |
| 3.7                                                             | 5.0  | 132M  | 2KL2 133-0805 *  | 60,200       | 3.7                          | 5.0  | 132M  | 2KL3 133-0805 *  | 69,230       |
|                                                                 |      | 160M  | 2KL2 163-0805    | 68,280       |                              |      | 160M  | 2KL3 163-0805    | 78,530       |
| 5.5                                                             | 7.5  | 160M  | 2KL2 164-0805    | 76,120       | 5.5                          | 7.5  | 160M  | 2KL3 164-0805    | 85,970       |
| 7.5                                                             | 10.0 | 160L  | 2KL2 166-0805    | 93,420       | 7.5                          | 10.0 | 160L  | 2KL3 166-0805    | 107,420      |
| 9.3                                                             | 12.5 | 180M  | 2KL2 183-0805    | 118,610      | 9.3                          | 12.5 | 180M  | 2KL3 183-0805    | 136,400      |
| 11.0                                                            | 15.0 | 180L  | 2KL2 186-0805    | 125,080      | 11.0                         | 15.0 | 180L  | 2KL3 186-0805    | 143,860      |
| 15.0                                                            | 20.0 | 200L  | 2KL2 206-0805    | 186,740      | 15.0                         | 20.0 | 200L  | 2KL3 206-0805    | 214,750      |
| <b>10 Pole, 600 rpm</b>                                         |      |       |                  |              | <b>12 Pole, 500 rpm</b>      |      |       |                  |              |
| 1.5                                                             | 2.0  | 132S  | 2HL1 130-1005    | 33,020       | 1.1                          | 1.5  | 132S  | 2HL1 130-1205    | 33,020       |
| 2.2                                                             | 3.0  | 132M  | 2HL1 133-1005    | 53,530       | 1.5                          | 2.0  | 132M  | 2HL1 133-1205    | 49,390       |
| 3.7                                                             | 5.0  | 160M  | 2HL1 164-1005    | 63,910       | 2.2                          | 3.0  | 160M  | 2HL1 164-1205    | 58,090       |
| 5.5                                                             | 7.5  | 180M  | 2HL1 183-1005    | 95,910       | 3.7                          | 5.0  | 160L  | 2HL1 166-1205    | 71,240       |
| 7.5                                                             | 10.0 | 180L  | 2HL1 186-1005    | 108,240      | 5.5                          | 7.5  | 180M  | 2HL1 183-1205    | 91,860       |
| 9.3                                                             | 12.5 | 180L  | 2HL1 187-1005    | 115,490      | 7.5                          | 10.0 | 180L  | 2HL1 186-1205    | 107,140      |
| 11.0                                                            | 15.0 | 180L  | 2HL1 188-1005    | 129,150      | 9.3                          | 12.5 | 180L  | 2HL1 187-1205    | 122,430      |
| 15.0                                                            | 20.0 | 200L  | 2HL1 206-1005    | 178,870      | 11.0                         | 15.0 | 200L  | 2HL1 206-1205    | 171,770      |
| 18.5                                                            | 25.0 | 225MX | 2HL1 223-1005    | 238,950      | 15.0                         | 20.0 | 225MX | 2HL1 223-1205    | 226,600      |
| * 45°C Ambient, Insulation class F utilised upto class F limit. |      |       |                  |              | 18.5                         | 25.0 | 250MX | 2HL1 253-1205    | 293,810      |
|                                                                 |      |       |                  |              | 22.0                         | 30.0 | 280SX | 2HL1 280-1205    | 362,520      |
|                                                                 |      |       |                  |              | 30.0                         | 40.0 | 280MX | 2HL1 283-1205    | 397,970      |
|                                                                 |      |       |                  |              | 37.0                         | 50.0 | 315SX | 2HL1 310-1205    | 600,730      |
|                                                                 |      |       |                  |              | 45.0                         | 60.0 | 315MX | 2HL1 314-1205    | 627,780      |

| ANNEXURE 1: GUIDELINES FOR PRICE CALCULATION OF NON STANDARD MOTORS |                                                                                                               |                                                  |               |                |                                       |
|---------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|--------------------------------------------------|---------------|----------------|---------------------------------------|
| Sr. No.                                                             | Special Features & Scope                                                                                      |                                                  |               | Frame Size     | Price                                 |
| 1.0                                                                 | Non-standard winding                                                                                          |                                                  |               |                |                                       |
| 1.1                                                                 | Non standard voltage/ frequency other than 415V, 50Hz                                                         | 380V, 50Hz                                       |               | All            | Nil                                   |
|                                                                     |                                                                                                               | Voltage change other than 380V, 415V & 220V      |               |                | 5%                                    |
|                                                                     |                                                                                                               | Freq. change other than 50Hz                     |               |                | 5%                                    |
|                                                                     |                                                                                                               | Combined change other than those specified above |               |                | 7.5%                                  |
| 1.2                                                                 | Insulation class 'H'                                                                                          |                                                  |               | All            | 10%                                   |
| 1.3                                                                 | Two speed motors with single winding not specified in the price list                                          |                                                  |               | All            | On request                            |
|                                                                     | Two speed motors with separate winding                                                                        |                                                  |               | 100 & above    | 20% of higher price for among poarity |
| 1.4                                                                 | Crane duty motor                                                                                              |                                                  |               | All            | 5%                                    |
| 1.5                                                                 | Ambient Temp. -30 to +65°C                                                                                    |                                                  |               | All            | List price as per selected frame      |
| 2.0                                                                 | Winding Protection                                                                                            |                                                  |               |                |                                       |
| 2.1                                                                 | Vacuum Pressure Impregnation for winding                                                                      |                                                  |               | 63-225         | 5%                                    |
|                                                                     |                                                                                                               |                                                  |               | 250-355        | Nil                                   |
| 2.2                                                                 | Epoxy gelcoat on winding                                                                                      |                                                  |               | All            | 5%                                    |
| 2.3                                                                 | Anti Condensation Heater (Space Heater)                                                                       |                                                  |               | 80-112         | ₹ 2,220                               |
|                                                                     |                                                                                                               |                                                  |               | 132-180        | ₹ 2,950                               |
|                                                                     |                                                                                                               |                                                  |               | 200-355        | ₹ 5,890                               |
| 2.4                                                                 | Thermistors                                                                                                   | Standard Motors                                  | Set of 3 Nos. | All            | ₹ 2,220                               |
|                                                                     |                                                                                                               |                                                  | Set of 6 Nos. |                | ₹ 4,420                               |
|                                                                     |                                                                                                               | Flameproof motors                                | Set of 3 Nos. | 160FLP & above | ₹ 4,750                               |
|                                                                     |                                                                                                               |                                                  | Set of 6 Nos. |                | ₹ 5,660                               |
| 2.5                                                                 | RTD (For Standard motors only)                                                                                | 3 wire simplex                                   | Set of 3 Nos. | All            | ₹ 6,640                               |
|                                                                     |                                                                                                               |                                                  | Set of 6 Nos. |                | ₹ 11,400                              |
|                                                                     |                                                                                                               | 6 wire duplex                                    | Set of 3 Nos. |                | ₹ 11,400                              |
|                                                                     |                                                                                                               |                                                  | Set of 6 Nos. |                | ₹ 17,670                              |
| 2.6                                                                 | BTD (2 Nos.) (RTD) duplex type with wires terminated in auxilliary terminal box.                              |                                                  |               | 250-355        | ₹ 10,000                              |
| 2.7                                                                 | Thermostat                                                                                                    | 1 No.                                            |               | All            | ₹ 630                                 |
| 3.0                                                                 | Non-standard Construction                                                                                     |                                                  |               |                |                                       |
| 3.1                                                                 | Non std shaft                                                                                                 | Shaft length = 2E max.                           |               | All            | 5%                                    |
|                                                                     |                                                                                                               | Double shaft extension                           |               |                | 7.5%                                  |
|                                                                     |                                                                                                               | Shaft length more than 2E                        |               |                | On request                            |
|                                                                     |                                                                                                               | Shaft material EN 24                             |               |                | 10%                                   |
|                                                                     |                                                                                                               | Taper single shaft extension taper 1:10          |               |                | 5%                                    |
|                                                                     |                                                                                                               | Taper double shaft extension taper 1:10          |               |                | 10%                                   |
|                                                                     |                                                                                                               | Stainless steel shaft                            |               |                | On request                            |
| 3.2                                                                 | Mounting                                                                                                      | B5* / B14 / V1 / V3* / V18 / V19                 |               | Upto 160       | 3%                                    |
|                                                                     |                                                                                                               | * Not recommended for frame 355                  |               | 180 & above    | 5%                                    |
|                                                                     |                                                                                                               | B35 / B34                                        |               | All            | 3%                                    |
| 3.3                                                                 | Special fixing dimensions other than IS:1231/2223                                                             |                                                  |               | All            | 20%                                   |
| 3.4                                                                 | Noise level as per IS:12065                                                                                   |                                                  |               | All            | No Extra                              |
|                                                                     | Upto 85 dB(A) @ 1m at no load for 4 pole & above motors                                                       |                                                  |               |                | 5%                                    |
|                                                                     | Upto 90 dB(A) @ 1m at no load for 2 pole motors                                                               |                                                  |               |                |                                       |
| 3.5                                                                 | Special low vibration motors for machine tools conforming to vibration grade B as per Table 1 of IEC:60034-14 |                                                  |               | All            | 10%                                   |
| 3.6                                                                 | Jacking out holes on motor feet                                                                               |                                                  |               | 280 & above    | 5%                                    |
| 3.7                                                                 | Stainless steel hardware                                                                                      |                                                  |               | 100 & above    | 7.5% upto max ₹ 5,000                 |
| 3.8                                                                 | Roller table motors in CI body having circular fins                                                           |                                                  |               | 112-200        | 20% extra over IE2                    |
| 3.9                                                                 | Flameproof Ex'd' motors with ATEX/IECEc approval                                                              |                                                  |               | All            | 10%                                   |

| Sr. No. | Special Features & Scope                                                                                                |                        |             | Frame Size              |          | Price                      |          |
|---------|-------------------------------------------------------------------------------------------------------------------------|------------------------|-------------|-------------------------|----------|----------------------------|----------|
| 4.0     | Further Mountings                                                                                                       |                        |             |                         |          |                            |          |
| 4.1     | Motor suitable for brake mounting arrangement<br>(Customer to provide brake details. Brake mounting is not in HM scope) |                        |             | All                     |          | 15%                        |          |
| 4.2     | Brake motor kit<br>(Brake protection IP54)                                                                              | Brake size             | Torque (Nm) |                         |          |                            |          |
|         |                                                                                                                         | 06                     | 4           | 63, 71                  |          | ₹ 5,150                    |          |
|         | (Refer Technical catalogue for brake selection)                                                                         | 08                     | 8           | 71, 80                  |          | ₹ 5,630                    |          |
|         |                                                                                                                         | 10                     | 16          | 80, 90                  |          | ₹ 8,250                    |          |
|         |                                                                                                                         | 12                     | 32          | 90, 100                 |          | ₹ 9,410                    |          |
|         |                                                                                                                         | 14                     | 60          | 100, 112                |          | ₹ 11,770                   |          |
|         |                                                                                                                         | 16                     | 80          | 112, 132                |          | ₹ 16,160                   |          |
|         |                                                                                                                         | 18                     | 150         | 132, 160                |          | ₹ 21,370                   |          |
|         |                                                                                                                         | 20                     | 260         | 160, 180                |          | ₹ 27,180                   |          |
|         |                                                                                                                         | 25                     | 400         | 180, 200                |          | ₹ 38,190                   |          |
|         |                                                                                                                         | 31                     | 600, 800    | 225, 250                |          | ₹ 74,900                   |          |
| 4.3     | Non-standard Brake coil voltage                                                                                         |                        |             | All                     |          | 5% on Brake price          |          |
| 4.4     | Encoder mounting arrangement for inverter duty motors suitable for hollow Shaft encoders                                |                        |             | 100-132                 |          | ₹ 3,690                    |          |
|         |                                                                                                                         |                        |             | 160-250                 |          | ₹ 4,420                    |          |
|         |                                                                                                                         |                        |             | 280-355                 |          | ₹ 5,680                    |          |
| 4.5     | Force cooling arrangement (inclusive of force cooling fan) for inverter duty motors (3 ph, 415V, 50Hz fan motor)        |                        |             | 90-132                  |          | ₹ 5,890                    |          |
|         |                                                                                                                         |                        |             | 160-180                 |          | ₹ 7,080                    |          |
|         |                                                                                                                         |                        |             | 200-225                 |          | ₹ 16,980                   |          |
|         |                                                                                                                         |                        |             | 250                     |          | ₹ 25,870                   |          |
|         |                                                                                                                         |                        |             | 280                     |          | ₹ 32,050                   |          |
|         |                                                                                                                         |                        |             | 315                     |          | ₹ 35,540                   |          |
|         |                                                                                                                         |                        |             | 355                     |          | ₹ 43,170                   |          |
| 4.6     | Force cooling arrangement for Flameproof motors (3 ph, 415V, 50Hz fan motor)                                            |                        |             | 250                     |          | ₹ 35,260                   |          |
|         |                                                                                                                         |                        |             | 280                     |          | ₹ 39,100                   |          |
|         |                                                                                                                         |                        |             | 315                     |          | ₹ 47,500                   |          |
| 5.0     | Fan & Fan Cover                                                                                                         |                        |             |                         |          |                            |          |
| 5.1     | Cast iron fan in place of plastic fan                                                                                   |                        |             | 63-315                  |          | 10%                        |          |
| 5.2     | Clean flow fan cover                                                                                                    |                        |             | All                     |          | 7.5%                       |          |
| 6.0     | Bearings                                                                                                                |                        |             |                         |          |                            |          |
|         | Frame size                                                                                                              | Roller Bearing (at DE) |             | Hybrid Bearing (at NDE) |          | Insulated Bearing (at NDE) |          |
|         |                                                                                                                         | Size                   | Price       | Size                    | Price    | Size                       | Price    |
|         | 132 / 132FLP                                                                                                            | NU 208                 | ₹ 1,400     | 6208                    | ₹ 9,920  | -                          |          |
|         | 132FLP                                                                                                                  | NU 308                 | ₹ 1,600     | -                       |          |                            |          |
|         | 160 / 160FLP                                                                                                            | NU 309                 | ₹ 2,170     | 6209                    | ₹ 10,400 |                            |          |
|         | 180 / 180FLP                                                                                                            | NU 310                 | ₹ 2,220     | 6210                    | ₹ 11,070 | 6310                       | ₹ 23,470 |
|         | 200 / 200FLP                                                                                                            | NU 312                 | ₹ 3,580     | -                       |          | 6312                       | ₹ 25,640 |
|         | 225 / 225FLP                                                                                                            | NU 313                 | ₹ 3,830     |                         |          | 6313                       | ₹ 27,150 |
|         | 250 / 250FLP                                                                                                            | NU 315                 | ₹ 3,980     |                         |          | 6315                       | ₹ 30,240 |
|         | 280 / 280FLP                                                                                                            | NU 317                 | ₹ 5,860     |                         |          | 6317                       | ₹ 31,670 |
|         | 315 / 315FLP                                                                                                            | NU 319                 | ₹ 5,990     |                         |          | 6319                       | ₹ 34,770 |
|         | 355                                                                                                                     | NU 322                 | ₹ 6,630     |                         |          | 6322                       | ₹ 44,700 |
| 7.0     | Teminal Box                                                                                                             |                        |             |                         |          |                            |          |
| 7.1     | One size larger terminal box                                                                                            |                        |             | 100-315                 |          | 3%                         |          |
| 7.2     | Flying Leads up to 1m & 6 leads                                                                                         |                        |             | All                     |          | 5%                         |          |
| 7.3     | Cast iron terminal box                                                                                                  |                        |             | 63-250                  |          | 5%                         |          |
| 7.4     | Cable gland (per run of cable) Standard / Flameproof *<br>* Flameproof cable glands of double compression type          |                        |             | 63-90                   |          | ₹ 600 / ₹ 1,420            |          |
|         |                                                                                                                         |                        |             | 100-132                 |          | ₹ 830 / ₹ 2,370            |          |
|         |                                                                                                                         |                        |             | 160-180                 |          | ₹ 1,190 / ₹ 2,960          |          |
|         |                                                                                                                         |                        |             | 200-250                 |          | ₹ 2,370 / ₹ 7,100          |          |
|         |                                                                                                                         |                        |             | 280-315                 |          | ₹ 3,550 / ₹ 10,650         |          |
|         |                                                                                                                         |                        |             | 355                     |          | ₹ 4,730 / -                |          |

| Sr. No.         | Special Features & Scope                                                                         |                                             | Frame Size                         | Price        |
|-----------------|--------------------------------------------------------------------------------------------------|---------------------------------------------|------------------------------------|--------------|
| 8.0             | Painting                                                                                         |                                             |                                    |              |
| 8.1             | Non-standard paint shade                                                                         | Standard motors other than RAL shade 6011   | All                                | 5%           |
|                 |                                                                                                  | Flameproof motors other than RAL shade 7046 |                                    |              |
| 8.2             | Anti corrosive epoxy paint                                                                       |                                             | All                                | 3%           |
| 8.3             | Motor delivered with red oxide primer                                                            |                                             | All                                | No reduction |
| 8.4             | Additional paint thickness upto 130μ                                                             |                                             | All                                | 5%           |
| 8.5             | C3-M/C4-M/C5-M painting for any paint shade<br>(Applicable for minimum order value of ₹ 50 Lacs) |                                             | All                                | 20%          |
| 9.0             | Motor Protection                                                                                 |                                             |                                    |              |
| 9.1             | IP56 / IP65 Protection                                                                           |                                             | All                                | 5%           |
| 10.0            | Testing                                                                                          |                                             |                                    |              |
| 10.1            | IP test                                                                                          |                                             | All                                | On request   |
| 10.2            | Witness testing of routine test per motor                                                        | 63-90                                       | ₹ 1,410                            |              |
|                 |                                                                                                  | 100-132                                     | ₹ 2,810                            |              |
|                 |                                                                                                  | 160-250                                     | ₹ 4,210                            |              |
|                 |                                                                                                  | 280-355                                     | ₹ 5,610                            |              |
|                 | Additional No-load running over routine testing                                                  |                                             | All                                | ₹ 1,500      |
| 10.3            | Witness testing of type test per motor                                                           | 63-90                                       | ₹ 4,210                            |              |
|                 |                                                                                                  | 100-132                                     | ₹ 7,010                            |              |
|                 |                                                                                                  | 160-250                                     | ₹ 9,800                            |              |
|                 |                                                                                                  | 280-315                                     | ₹ 15,400                           |              |
|                 | 355                                                                                              | ₹ 19,590                                    |                                    |              |
| Dimension check |                                                                                                  | All                                         | 25% of type test of frame involved |              |
| 10.4            | Witness testing of pressure test on FLP component's set per motor                                | 63-132                                      | ₹ 3,000                            |              |
|                 |                                                                                                  | 160-315                                     | ₹ 8,500                            |              |
| 10.5            | 2nd numeral IP55 test per motor                                                                  | 63-132                                      | ₹ 3,000                            |              |
|                 |                                                                                                  | 160-250                                     | ₹ 4,000                            |              |
|                 |                                                                                                  | 280-355                                     | ₹ 5,000                            |              |
| 10.6            | Testing with inverter drive (Customer to arrange for drive)                                      | All                                         |                                    |              |
|                 | With third party laboratory witness                                                              |                                             | ₹ 110,000                          |              |
|                 | Without third party laboratory witness                                                           |                                             | ₹ 50,000                           |              |
| 11.0            | Miscellaneous                                                                                    |                                             |                                    |              |
| 11.1            | Motor delivered in unpacked condition                                                            |                                             | All                                | No reduction |
| 11.2            | Sea worthy packing                                                                               |                                             | All                                | 5%           |
| 11.3            | Additional nameplates                                                                            |                                             | All                                | ₹ 400        |
| 11.4            | Direction arrow plate                                                                            |                                             | All                                | ₹ 400        |

**Note:**

1. All % (percentage) figures are to be loaded on the list price.
2. All ₹ (rupee) figures are to be added on nett price.
3. For any other special features, please refer to head office.